





William H. Spencer

Founder

On March 7th, 2023, Alliance Rubber Company celebrated its Centennial Anniversary. This marked 100 years of Alliance offering our benchmark rubber bands and highest quality options for "Holding Your World Together." Achieving a centennial milestone is rare, with less than two-tenths of 1% of companies located in the U.S. reaching this mark.

As the original pioneer of rubber bands for produce and floral applications, we have continued to evolve and innovate to meet the demands of the industry. Prior to Alliance, only string and twine were being used by growers. Bundling is our business, and our products are specialized to hold your produce and power your brand.

It all began with William H. Spencer, who left his Franklin, Kentucky, home in 1904 at the age of 13. Traveling by rail to seek adventure, he found himself in Alliance, Ohio, in 1917 with less than \$3 in his pocket. After working for the Pennsylvania Railroad for six years, he began cutting bands by hand from rejected bicycle inner tubes and on March 7th, 1923, started Alliance Rubber Company.

Now in our fourth generation of family ownership, Alliance has continued the traditions started by Mr. Spencer. To that end, just like our products throughout the last century, we have doggedly stretched and flexed to meet the demands of the current market, to remain always sensitive to the pressures of the present environment, and to be always in touch with the needs of our customers. We have continually developed manufacturing principles to perfect processes, boost innovation, and reduce time to market in a fast-paced, volatile, everchanging global marketplace. Based in Hot Springs, Arkansas, Alliance Rubber Company proudly manufactures the majority of its products in the USA using globally sourced materials. This approach ensures both transparency and quality in every item we produce.

If you don't see what you're looking for in our catalog, please give us a call. Even though we may be the world's largest manufacturer of rubber bands, we still want your help to keep a sharp focus on what we can do to better meet your needs.

When you need a product that can withstand the cold, survive the heat, hold items gently, bundle items tightly, or anything in between, we have the solution.

CONTENTS

PRODUCE AND FLORAL BANDS

- 2 Standard Bands
- 4 Imprinted PLU Bands
- **6** Custom Imprinted PLU Bands

UNIQUE SOLUTIONS

- 12 EPDM Bands
- **13** Pallet Bands
- **14** SuperSize Bands™

PROTAPE®

- 8 Standard or Custom ProTape®
- **9** ProTape [®] Artwork Specs
- **10** ProTape ® Dispensers

SEAFOOD SOLUTIONS

- 15 Standard Seafood Bands
- **15** Custom Seafood Bands
- **16** Rubber Tubing

ADDITIONAL RESOURCES

11

"Eliminate Superstore Shrinkage"

16

Rubber Band Size Chart

17

"How to Measure a Rubber Band"

18

Precision vs. Random Imprint

BACK COVER

Samples

PRODUCE AND FLORAL BANDS

Alliance makes a large range of rubber band sizes and colors that keep their hold on products even as produce items lose moisture. This maintains a fresh appearance and requires less maintenance at the store level.



1/16" Cut Width





**ITEM #	SIZE	*CPP	DIMENSIONS"	COLOR	PKG	SUGGESTED APPLICATION
54464 (S)	14	3000	2 x 3/64	Blue	1# Bag / 25#	Green Onions
97464 (NS)	14	3000	2 x 3/64	Red	1# Bag / 25#	Green Onions
96144 (S)	14	2250	2 x 1/16	Red	1# Bag / 25#	Radishes, Floral
96164 (S)	16	1800	2-1/2 x 1/16	Red	1# Bag / 25#	Radishes, Floral
54164 (S)	16	1800	2-1/2 x 1/16	Blue	1# Bag / 25#	Radishes, Floral
96184 (S)	18	1480	3 x 1/16	Red	1# Bag / 25#	Floral
26193 (NS)	19	1250	3-1/2 x 1/16	Crepe	5# Bag / 25#	Floral
66194 (NS)	19	1250	3-1/2 x 1/16	Green	1# Bag / 25#	Floral
31294 (C)	29	1450	1-3/4 x 1/8	Black (Ster)	1# Bag / 25#	Baby Broccoli, Asparagus 200g
96304 (S)	30	1150	2 x 1/8	Red	1# Bag / 25#	Floral, Carrots
96314 (S)	31	850	2-1/2 x 1/8	Red	1# Bag / 25#	Leafy Vegetables, Greens
22312 (C)	31	900	2-1/2 x 1/8	Black EPDM	20# Bulk	Outdoor/UV/Ozone Resistant
96324 (S)	32	700	3 x 1/8	Red	1# Bag / 25#	Floral
44324 (NS)	32	830	3 x 1/8	Blue	1# Bag / 25#	Floral
26334 (S)	33	600	3-1/2 x 1/8	Crepe	1# Bag / 25#	Floral
55962 (C)	33	475	3-1/2 x 1/8	White	25# Bulk	Cauliflower
TPE32CLEAR (C)	32	1500	3 x 1/8	Clear	20# Bulk	Floral
TPE34CLEAR20 (C)	34	1100	4 x 1/8	Clear	20# Bulk	Floral

All of our produce and floral products:

- Meet all FDA requirements for direct food contact
- Are waterproof
- Will never leave brown water spots or rust stains
- Will not cut into your tender items
- Allow consumers to see and touch the product
- Are made in the USA using globally sourced materials

RUBBER TUBINGSee Page 16 for more information





**ITEM #	SIZE	*CPP	DIMENSIONS"	COLOR	PKG	SUGGESTED APPLICATION
5596202 (C)	33	550	3-1/2 x 1/8	Crepe	25# Bulk	Cauliflower
56962 (C)	33	475	3-1/2 x 1/8	Green	25# Bulk	Cauliflower
58612 (C)	61	575	2 x 1/4	Purple	25# Bulk	Baby Broccoli, Carrots
5461201 (C)	61	575	2 x 1/4	Blue	25# Bulk	Baby Broccoli, Carrots
54624 (NS)	62	450	2-1/2 x 1/4	Blue	1# Bag / 25#	Leaks, Carrots
54632 (NS)	63	400	3 x 1/4	Blue	25# Bulk	Asparagus 1# Bunch
55632 (C)	63	400	3 x 1/4	White	25# Bulk	Asparagus 1# Bunch
5463204 (C)	63	400	3 x 1/4	Blue	25# Bulk	Asparagus, Celery
54644 (S)	64	320	3-1/2 x 1/4	Blue	1# Bag / 25#	Asparagus 1# Bunch
54812 (NS)	81	350	2 x 1/2	Blue	20# Bulk	Broccoli, Leeks
5581202 (C)	81	350	2 x 1/2	White	25# Bulk	Broccoli, Leeks
58852 (C)	85	150	4 x 7/16	Purple	25# Bulk	Asparagus Kilo Bunch
58862 (C)	85	150	4 x 7/16	Blue	25# Bulk	Asparagus Kilo Bunch
27404 (S)	117B	200	7 x 1/8	Crepe Adv.	1# Box / 25#	Floral
97405 (S)	117B	200	7 x 1/8	Red	1# Box / 25#	Collards
Advantage™ (S)				R,G,B	1# Bag / 25#	Miscellaneous
Sterling™ (S)				R,G,B	1# Bag / 25#	Miscellaneous

^{*}CPP = Approximate Count Per Pound





^{**}Lead times: 3-5 working days on Standard (S) items, 7-10 working days on Non-Standard (NS) items, and 10-15 working days on Custom (C) items.

Standard

IMPRINTED PLU BANDS

Our standard imprinted PLU Bands offer you the ability to label your item with country of origin and PLU number. This allows for easy reference at checkout.





#73 BAND - CPP = 300 3" x 3/8"

ITEM #815024-073072 | COMMODITY: ORGANICALLY GROWN

ORGANICALLY GROWN ORGANICALLY GROWN

ITEM #820124-94080421 | COMMODITY: ORGANIC ASPARAGUS

Organic Asparagus #94080 Produce of USA Organic Asparagus #94080 Produce of USA Organic Asparagus #94080 Produce of USA

ITEM #826024-9408043 | COMMODITY: ORGANIC ASPARAGUS

Organic Asparagus #94080 Produce of USA Organic Asparagus #94080 Produce of USA Organic Asparagus #94080 Produce of USA

#81 BAND - CPP = 350 2" x 1/2"

ITEM #827016-071073 COMMODITY: USA BROCCOLI

Produce of USA #4060 Produce of USA #4060 Produce of USA #4060

ITEM #820116-083443

COMMODITY: ORGANIC BROCCOLI

PRODUCE OF USA
ORGANIC BROCCOLI PLU #94060
PRODUCE OF USA
ORGANIC BROCCOLI PLU #94060

ITEM #828016-234573

COMMODITY: ORGANICALLY GROWN

Organically Grown Produce of USA

ITEM #827016-4060761

COMMODITY: MEXICO BROCCOLI

Produce of Mexico #4060
Produce of Mexico #4060
Produce of Mexico #4060

#63 BAND - CPP = 400 3" x 1/4"

ITEM #827024-4080323 | COMMODITY: MEXICO ASPARAGUS

Produce of Mexico - Produit du Mexique PLU #4080 Produce of Mexico - Produit du Mexique PLU #4080 Produce of Mexico - Produit du Mexique PLU #4080

ITEM #828024-080273 | COMMODITY: USA ASPARAGUS

Asparagus Produce of USA #4080 Asparagus Produce of USA #4080

ITEM #827024-4080723 | COMMODITY: USA ASPARAGUS

Produce of USA #4080 Produce of USA #4080

ITEM #827024-4080761 | COMMODITY: MEXICO ASPARAGUS

Produce of Mexico #4080 Produce of Mexico #4080

Produce of Mexico #4080
Produce of Mexico #4080

ITEM #827024-4080761 | COMMODITY: MEXICO ASPARAGUS

Asparagus Produce of Mexico #4080 Asparagus Produce of Mexico #4080



FEATURES:

All of our produce and floral products:

- Meet all FDA requirements for direct food contact
- Are waterproof
- Will never leave brown water spots or rust stains
- Will not cut into your tender items
- Allow consumers to see and touch the product
- Are ideal for continued misting
- Are made in the USA using globally sourced materials





CUSTOM PLU BANDS

Branding your produce with your name, your website and/or your promotion will give you greater recognition and encourage brand loyalty. Consumers will discover hundreds of uses for your custom PLU bands even after your produce is gone, providing you with subtle, ongoing advertising.









#171 BAND 1-3/4" x 3/8"	#61 BAND 2" x 1/4"	Actual Band Sizes		
POPULAR USES:				
Mustard #4616 Indian Corn #3085	Basil #4885 Cilantro #4889	Dill #4891 Green Onions #4068	Curly Parsley #4899 Regular Parsley #4899	Arugula #4884 Baby Broccoli #3277
#72 BAN 2-1/2" x 3		#62 BAND 2-1/2" x 1/4"		
POPULAR USES:				
Beets #4539 Carrots #4094 Celery #4583 Celery #4070	Collard Greens #4615 Dandelions #4615 Green Chard #4586 Kale #4627	Kohlrabi #4628 Leeks #4629 Parsley Root #4671 Red Chard #4587	Radish #4089 Spinach #4090 Baby Artichoke #4519	Turnips #4810 Turnip Greens #4619
	BAND 3/8"	#63 BAND 3" x 1/4"	100 S	Produce of Produce of
Organic Asparagus #940	80 Asparagus (Sm.) #4080	Asparagus (Lg.) #4521	in ogne of	reenfarms.com
3-	74 BAND 1/2" x 3/8"			Kale #4627 Produce of USA Kale #4627 Produce of USA Kale #4627 Produce of USA Kale #4627 Produce of USA Kale #4627 Produce of USA
POPULAR USES:		0.1		
Asparagus (Lg.) #4521	Organic Celery #94070	Celery #4581 #4583 or #407	70	
	#78 BAND 5-1/2" x 3/8"			BAND x 1/2"
POPULAR USES:			POPULAR USES:	
Bok Choy #4545 Endive #4604 Escarole #4605	Green Leaf #4076 Lettuce #4632 Cabbage #4552	Red Leaf #4075 Red Romaine #3097 Savoy Cabbage #4555	Broccoli #4060 Leeks #4629 Organic Brocco	li #94060

STANDARD OR CUSTOM

PROTAPE®

Specially designed for produce bundling, ProTape [®] gives you the added benefit of barcoding. It is available in standard and custom designs.

Imported Products

Benefits of ProTape®

- Sticks only to itself
- Easily opens and reseals for trimming at store level
- Scannable barcode for ease at checkout
- FDA compliant for direct food contact





ITEM#	PLU	SIZE	COLOR	APPLICATION
09018	#4011	20 mm	Red/Yellow	Bananas
09002	#4070	20 mm	White/Navy	Celery
09028		20 mm	Red/White	Fresh Vegetables
09029		20 mm	Turquoise/White	Fresh Vegetables
09011		15 mm	Purple/White	Fresh Vegetables - English/Japanese
09003	#4076	20 mm	Fuchsia/White	Green Leaf
09211MA		15 mm	Purple/White	Mexican Asparagus - Japanese
09238		20 mm	Blue/White	Mexican Green Onions - English/French
09010		20 mm	Fuchsia/White	Organically Grown
91210WF		12 mm	Yellow/Green	Organically Grown
09211		15 mm	Purple/White	Peruvian Asparagus - Japanese
09212		15 mm	Red	Plain
09215		20 mm	Purple	Plain
09218		20 mm	Red	Plain
09006	#4075	20 mm	Turquoise/White	Red Leaf
09007	#4640	20 mm	Navy/White	Romaine
0924TR		20 mm	Clear	Translucent
0924TL		30 mm	Clear	Translucent

ProTape® Artwork Specifications

Custom ProTape[®] orders require very specific artwork information to ensure the best quality in printing and reproduction:

• 3mm top and bottom margins

• Top and bottom must be the same color

Minimum barcode size: 85% of original size

Minimum line thickness: 0.2mm
Maximum number of colors: 5

• Minimum font size 8 pt.

LEAD TIMES and Variances:

Normal lead time for Custom ProTape[®] is 10 - 12 weeks after the final approval of artwork. All orders are subject to +/- 15% in quantity to allow for manufacturing variances.

FOB: Salinas, CA.

Custom ProTape pricing is based on up to 5 colors. The base or background tape color counts as one of the colors. The easiest and quickest way to send artwork to Alliance is by using email: agsales@alliance-rubber.com. File types that are accepted are Illustrator .eps files. The art must be in vector format. After the graphics department has completed the design, a proof will be sent to the customer for final approval.

MINIMUM ORDER QUANTITY

STANDARD PROTAPE*						
SIZE	MIN.	ROLLS/CASE				
12 mm x 100 m	20 rolls	160				
15 mm x 100 m	10 rolls	160				
20 mm x 100 m	10 rolls	80				
30 mm x 100 m	10 rolls	80				

CUSTOM PROTAPE*					
SIZE	MIN.				
12 mm x 100 m	1,000 rolls				
15 mm x 100 m	800 rolls				
20 mm x 100 m	600 rolls				
24 mm x 100 m	500 rolls				
30 mm x 100 m	400 rolls				
15 mm x 200 m	400 rolls				
20 mm x 200 m	300 rolls				
24 mm x 200 m	250 rolls				
30 mm x 200 m	200 rolls				

ROLLS OF PROTAPE® Standard

PROTAPE® DISPENSERS

Alliance offers a variety of ProTape® dispensers to meet your needs. These dispensers make applying ProTape® even easier and faster.

Imported Products



BASIC DISPENSERS

These basic dispensers allow easy handling and cutting of ProTape [®] for manual application. Both have a lightweight and durable construction making them ideal for flexible low-volume applications. The B-16 can accommodate 3" - 3.5" cores.



300V-II LARGE BUNDLE DISPENSER

This economical dispenser features an application plate to measure, cut and apply ProTape® to asparagus, spinach, leafy lettuces, green onions and other fresh vegetables. The 300V-II is lightweight, durable and versatile.



3000V SEMI-AUTOMATIC DISPENSER

With the push of a hand this semiautomatic dispenser measures, wraps and seals to make a secure and attractive bundle. The 3000V is three times faster than the pull and cut dispensers and built to give hassle-free service.



5000V ELECTRIC DISPENSER

When two hands are required to handle your produce, this electric ProTape[®] Dispenser can be activated by the foot pedal feature. The 5000V is built for speed and ease of application.

Fliminate SHRINKAGE AT CHECKOUT

Reduce issues at checkout to reduce shrinkage. It's very easy to confuse organic produce with non-organic produce. In fact, for grocers, \$18.1 billion in losses can be directly traced to errors that occur when produce items are handled at POS.

The two look almost identical, but there is a considerable difference in price and quality.



FOR GROCERS

All too often, PLU items are not calculated accurately into the customer's order, resulting in substantial shrink. ProTape® gives you the added benefit of bar coding eliminating confusion at checkout.



FOR ORGANIC GROWERS

When you use ProTape® to label your organic produce at harvest you know that the label will remain with your product until it reaches the consumer.





EPDM BANDS

UV resistant EPDM Bands are designed to meet or exceed the unique application needs of the Agricultural Industry. They are trusted by professionals for unsurpassed quality and performance. These bands are available in a wide range of sizes and are manufactured with EPDM rubber - the premier weather-resistant synthetic elastomer.

- Available in Standard or Custom Sizes*
- Excellent resistance to ozone, UV, steam, water, and oxygen
- Made in the USA using globally sourced materials



*Subject to availability.

PALLET BANDS

Economical and easy to use, pallet bands contain and secure palletized items during movement within a warehouse. No longer waste time applying and reapplying stretch wrap or tape, when pallet bands can be applied and removed in seconds. Reusable pallet bands can be used to create significant savings with no equipment and minimal storage space required.

- Available in 72" to 112" circumferences
- Color coded by size
- Excellent for use on furniture or as mover bands
- Reduce packaging waste
- Ribbed for extra holding power

Imported Products



ITEM#	DESCRIPTION	INNER	CASE	MIN.
2403206	72" Blue (72" x 1" x 1/16") • Fits 32" x 40" to 36" x 36" pallet	12	144	144
2403203	84" Yellow (84" x 1" x 1/16") • Fits 36" x 42" to 36" x 48" pallet	12	144	144
2403204	92" Red (92" x 1" x 1/16") • Fits 40" x 48" to 48" x 48" pallet	12	144	144
2403207	112" Green (112" x 1" x 1/16") • Fits 48" x 48" to 48" x 60" pallet	12	144	144



SUPERSIZE BANDS**

A super-sized job calls for a super-sized band. These 12" red, 14" green, and 17"x 1/4" blue bands are recommended for:

- Securing items during moving and storage operation
- Holding box carton flaps down
- Bundling carpets, mats, sleeping bags and/or packages
- Holding 44 gallon cans (12" & 14") & 55 gallon drum liners (17" only)

Imported Products

ITEM #	DESCRIPTION	CPP*	CASE	MIN.
08997	SuperSize Bands™ 12", 14" and 17" x 1/4" • 8 each/size - 24/bag	-	10 ea.	10 ea.
24012	SuperSize Bands™-Red-12" x 1/4" • 25# bulk	75	25 lb.	25 lb.
2402201	SuperSize Bands™-Green-14" x 1/4" • 25# bulk	60	25 lb.	25 lb.
2403201	SuperSize Bands™-Blue-17" x 1/4" • 25# bulk	53	25 lb.	25 lb.
07825	SuperSize Bands™-Red-12" x 1/4" • 50/box	-	25 bx.	25 bx.
07818	SuperSize Bands™-Blue-17" x 1/4" • 50/box	-	25 bx.	25 bx.

*CPP = Approximate Count per Pound

Standard or Custom SEAFOOD BANDS

Whether you're fishing for lobsters, crab, geoducks, or clams and oysters, we have bands to fit your needs. Our bands have been used for over 50 years in the commercial fishing industry from banding to packaging and promoting your seafood.



Our Seafood Bands are:

- Made from natural latex rubber
- FDA compliant for direct food contact
- Available in standard colors red, blue, yellow, green, and tan
- Also available in custom colors and sizes

PLAIN OR PRINTED RUBBER BANDS

For Lobsters, Crab, Geoduck, Clams, and Oysters













SEAFOOD BANDS

ITEM#	LENGTH" x WIDTH" - PACKAGE	CPP*	CASE	MIN.
44783	1 x 1/2 Blue Sterling - 1# Poly	630	20	200 lb.
33783	1 x 1/2 Yellow Sterling - 1# Poly	630	20	200 lb.
94783	1 x 1/2 Red Sterling - 1# Poly	630	20	200 lb.
44802	1-1/2 x 1/2 Blue Sterling - 25# Bulk	425	20	200 lb.
Custom 1	$1-1/4 \times 1/2 \times 0.035$ Sterling	600		
Custom 2	1-1/8" x 1/2" x 0.040" Sterling	550		
Custom 3	1" x 1/2" x 0.040" Sterling	630		
Custom 4	1" x 1/2" x 0.054" Sterling	460		
Custom 5	1" x 1/2" x 0.060" Sterling	420		
Custom 6	2" x 1/2" x 0.040" Sterling	350		
Custom 7	2" x 1/2" x 0.035" Advantage	350		

*CPP = Approximate Count per Pound

STERLING GRADE RUBBER TUBING

SIZE	REEL QUANTITY	NO. OF BANDS*
1" x 0.05" wall thickness	10 lbs.	3,850
	20 lbs.	7,700



PALE CREPE GOLD™ RUBBER BANDS

The Gold Standard of Bands



The rubber band with the softest stretch to help prevent Carpal Tunnel Syndrome and resulting costly insurance claims. It has the highest percentage of rubber content and the greatest number of pieces per pound. Pale Crepe Gold™ is highly recommended for repeated application.

STERLING™ RUBBER BANDS

Best Value

The best value per rubber band. It has a high percentage of rubber content and an excellent count per pound. Sterling™ is highly recommended for fast application and repeat use.



ADVANTAGE™ RUBBER BANDS

Every Day Reliability



The rubber band for everyday use. It has a mid-range rubber content. Advantage™ is recommended for industrial applications where a sturdy band with higher tensile strength is required.

SIZE LENGTH" WIDTH" PCG STER ADV		STANDAI	RD SIZES	API	PROX.	GPP	
10	SIZE	LENGTH"	WIDTH"	PCG	STER	ADV	
12	8	7/8	1/16	7455	7100	5200	
14 2 1/16 3380 3100 2250 16 2 1/2 1/16 2675 2300 1800 18 3 1/16 2205 1900 1480 19 3 1/2 1/16 1890 1700 1250 27 1 1/4 1/8 N/A 2400 N/A 30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A N/A N/A N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A N/A 74 3 1/2 3/8 320	10	1 1/4	1/16	5300	5000	3700	
16 2 1/2 1/16 2675 2300 1800 18 3 1/16 2205 1900 1480 19 3 1/2 1/16 1890 1700 1250 27 1 1/4 1/8 N/A 2400 N/A 30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST ASST N/A N/A N/A 57 1 3/4 1/4 N/A N/A N/A N/A 62 2 1/2 1/4 720 600 450 450 63 3 1/4 N/A N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 </td <td>12</td> <td>1 3/4</td> <td>1/16</td> <td>3850</td> <td>3400</td> <td>2500</td>	12	1 3/4	1/16	3850	3400	2500	
18 3 1/16 2205 1900 1480 19 3 1/2 1/16 1890 1700 1250 27 1 1/4 1/8 N/A 2400 N/A 30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A N/A 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 32 300 230	14	2	1/16	3380	3100	2250	
19 3 1/2 1/16 1890 1700 1250 27 1 1/4 1/8 N/A 2400 N/A 30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	16	2 1/2	1/16	2675	2300	1800	
27 1 1/4 1/8 N/A 2400 N/A 30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A N/A N/A N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60	18	3	1/16	2205	1900	1480	
30 2 1/8 1770 1500 1150 31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 117B 7 1/8 300 250 200 117C Permanent Set 7% 10% 13% Specific Gravity 99 1.12 1.26	19	3 1/2	1/16	1890	1700	1250	
31 2 1/2 1/8 1330 1200 850 32 3 1/8 1100 950 700 33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A <td>27</td> <td>1 1/4</td> <td>1/8</td> <td>N/A</td> <td>2400</td> <td>N/A</td>	27	1 1/4	1/8	N/A	2400	N/A	
32	30	2	1/8	1770	1500	1150	
33 3 1/2 1/8 970 850 600 54 ASST ASST N/A N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 320 300 230 84 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity 99 1.12 1.26	31	2 1/2	1/8	1330	1200	850	
54 ASST ASST N/A N/A N/A 57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 <td co<="" td=""><td>32</td><td>3</td><td>1/8</td><td>1100</td><td>950</td><td>700</td></td>	<td>32</td> <td>3</td> <td>1/8</td> <td>1100</td> <td>950</td> <td>700</td>	32	3	1/8	1100	950	700
57 1 3/4 1/4 N/A 750 N/A 62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99	33	3 1/2	1/8	970	850	600	
62 2 1/2 1/4 720 600 450 63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 5% 10% 13% Specific Gravity 99 1.12 1.26	54	ASST	ASST	N/A	N/A	N/A	
63 3 1/4 N/A N/A 380 64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity 99 1.12 1.26	57	1 3/4	1/4	N/A	750	N/A	
64 3 1/2 1/4 490 425 320 73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	62	2 1/2	1/4	720	600	450	
73 3 3/8 360 320 240 74 3 1/2 3/8 320 275 200 82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	63	3	1/4	N/A	N/A	380	
74	64	3 1/2	1/4	490	425	320	
82 2 1/2 1/2 320 300 230 84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	73	3	3/8	360	320	240	
84 3 1/2 1/2 240 210 150 94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	74	3 1/2	3/8	320	275	200	
94 3 1/2 3/4 N/A 140 N/A 105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	82	2 1/2	1/2	320	300	230	
105 5 5/8 95 70 60 107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	84	3 1/2	1/2	240	210	150	
107 7 5/8 60 50 40 117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	94	3 1/2	3/4	N/A	140	N/A	
117A 7 1/16 600 500 400 117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	105	5	5/8	95	70	60	
117B 7 1/8 300 250 200 Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	107	7	5/8	60	50	40	
Ultimate Elongation 775% 750% 700% Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	117A	7	1/16	600	500	400	
Permanent Set 7% 10% 13% Specific Gravity .99 1.12 1.26	117B	7	1/8	300	250	200	
Specific Gravity .99 1.12 1.26			Ultimate Elongation	775%	750%	700%	
			Permanent Set	7%	10%	13%	
Durometer 35 42 45			Specific Gravity	.99	1.12	1.26	
			Durometer	35	42	45	


BAND **LENGTHS**

- 7/8" 22 MM | SIZE: 8
- 31 MM | SIZES: 10, 27
- 38 MM | SIZE: 11
- 44 MM | SIZES: 12, 29
- 50 MM | SIZES: 14, 30, 61, 71, 81
- 21/211 63 MM | SIZES: 16, 31, 62, 72, 82, 92
- 76MM | SIZES: 18, 32, 63, 73, 83, 93
- 31/211 88 MM | SIZES: 19, 33, 64, 74, 84, 94
- 101 MM | SIZE: 85
- 127 MM | SIZE: 105
- 177 MM | SIZES: 107, 117-A, 117-B





117-A





61, 62, 63, 64










105, 107



92, 93, 94

How to Measure ARUBBERBAND

wall thickness







CUSTOM IMPRINTED BANDS

Custom Imprinted Bands provide an opportunity to promote your name, logo, website, country of origin, and/or promotion even after your item is gone. Alliance's imprinted bands are food-grade and environmentally friendly.

When you place an order for Custom Imprinted Bands, you'll be asked to choose between Precision or Random Imprint.

VISUAL DIFFERENCES

Precision Imprinted bands will display only the chosen content and limit the size of the imprint area on all sides. These bands are more labor-intensive and result in a much higher amount of scrap, therefore the overall cost and materials required to fulfill one order is higher when compared to **Random Imprinted** orders of the same size.

Random Imprinted bands will show at least one full imprint and a portion of the repeated content across the top and bottom. The imprint area is only limited to the flat length of the band. These bands can be produced in one continuous run which means they are less labor-intensive. Additionally, there is less scrap and less overall material required to fulfill an order which means significant savings for the customer.

Example Band = 3" x 0.5"


PRECISION IMPRINT

Imprint area = 2.375" x 0.25

RANDOM IMPRINT

Imprint area = 2.375"









AGRICULTURAL PRODUCTS CATALOG





ALLIANCE HEADQUARTERS

210 Carpenter Dam Rd. Hot Springs, AR 71901 Toll-Free: 800.626.5940 Direct: 501.262.2700 Fax: 501.262.3948

sales@alliance-rubber.com

SALINAS VALLEY STOCKING WAREHOUSE

845 W. Market Street, Unit A Salinas, CA 93901 Toll-Free: 866.758.2263 Direct: 831.757.8104 Fax: 831.757.8104

agsales@alliance-rubber.com